FRUIT TREE BASICS
Brought to you by Mark Fanick
Fanick's Garden Center, Inc.

Eddie Fanick & Son John Fanick

Founded in 1939, Moved to the east side from down town. Cleared several acres of land by night using kerosene lanterns.

CZECH US OUT!
FLATONIA
CROSS ROADS OF TEXAS

FAMILY STRONG !

FOUR GENERATIONS

Of Fanicks with knowledge that came from over 80 years in buisness.

FAN-STIL
— PEAR —
Delicious
Prolific
Trade Mark
FAN-JUBE
Paradise Apple
Hardy Tree
Fruiting Tree
Trade Mark
FAN-FIG
Texas Blue Giant
Giant Fruit
Prolific
Trade Mark

What you will learn:

- Fruit Trees in American culture
- Bare Root/Container Transplanting
- Soil Preparation
- Identifying Pests and Diseases
- Chill hours

Victory Gardens

Honolulu Star-Bulletin

ST EDITION

24 PAGES—HONOLULU, TERRITORY OF HAWAII, U. S. A., MONDAY, DECEMBER 8, 1941—24 PAGES

*** PRICE FIVE CENTS

WAR DECLARED ON JAPAN BY U.S.

FDR Calls Attack Upon Oahu 'Infamous Treachery'

Our Fleet At Sea As Counter Offensive Is Begun

BULLETINS

Business To Continue As Usual, Doty Announces

DEAD, INJURED

Huge Sea, Air Operations On

Offensive Against Japan Starts With First Japanese Bomb Dropped on Pearl Harbor

Congress Takes Prompt Action

Office Depot
OfficeMax

Bare Root:

- Shipping
- Preparing
- Storing
- Displaying
- Selling

Bare Root Shipped

Preparing Plants

When the nursery receives bare root fruit trees, they are unpacked, checked for damages, and then dipped in root stimulator.

Root Stimulators

Organic:	Non-organic:
Kangaroots	
Bio-Tone Starter Plus	Fertilome
Carl Pool	Superthrive


#1 DOCTOR RECOMMENDED BRAND†
align®
PROBIOTIC
GUT HEALTH & IMMUNITY SUPPORT
Bifidobacterium lactis BB-12® probiotic
Naturally helps:

FOX FARM DRENCHES



Bio-Tone

Great Fertilizer with several Bacteria to stimulate the soil.

Carl Pool

Rumored to have been developed by using native pecans as its source.

Tricks the root system into thinking it going to die. The plant then sends out new roots to save itself.



Non-Organic



Contain Indole-3 butyric Acid + fertilizer

Storing Plants

Next, they are pruned and stored in sand pits for easy accessibility and for the customer's purchase.

Display

NO PLANT LIFE IS GUARANTEED NEITHER IS HUMAN OR ANY OTHER LIFE ON THIS PLANET
BARE ROOT PECAN TREES ARE NOT GUARANTEED SOME LOSS CAN BE EXPECTED

When sold:

Containers



FOXFARM
SOIL & FERTILIZER COMPANY
—PRODUCERS OF—

Compost =

Fiber



Is and
co need

McDonald's
McDonald's
DRIVETHRU
1
ORDER HERE
2

Luby's
Welcome!
11811

RUTH'S CHRIS® STEAK HOUSE

U.S. PRIME

THIS IS HOW IT'S DONE®

N P K What does that mean?
Nitrogen, phosphate, Potash

What does it really mean to a plant?

Meat, Vegetables and Potatoes

What!

Meat equ te, it makes a
plant gro tal sun intake
b r absorbtion,

THE BIRDS & THE BEES

MARINES
THE FEW. THE PROUD. THE MARINES

Red Baron Peach

LOW PRICES
Peach Pie Donut Peach
$3.98 LB

3115

realfresh™
Tropic Snow Peach


realfresh™
Hachiya Persimmon
Diospyros kaki 'Hachiya'

is

re

ig.

Panache Tiger


INCREDIBLY
FRAGRANT BLOOMS
Improved Meyer Lemon
Citrus meyeri

Owari Satsuma
Citrus unshiu 'Owari'


GREAT FOR FOOD & DRINKS
Thornless Key Lime

D

Hy s?



Peach Diseases

Peach Leaf Diseases

Pests



Remedies

Liquid Copper
Fungicide
Concentrate
TRUSTED SINCE 1926
BONIDE
For roses, fruits and vegetables
Controls powdery mildew, black spot and rust
For organic production
ACTIVE INGREDIENT:
Copper Octanoate (Copper Soap) 10.0%
INERT INGREDIENTS 90.0%
TOTAL 100.0%
Metallic copper equivalent 1.8%
EPA Est. No. 4-NY-1
EPA Reg. No. 67702-2-4
KEEP OUT OF REACH OF CHILDREN
CAUTION
Net Contents 16 FL. OZ. (1 Pt.) (473 ML.)
Captan
Fruit & Ornamental
EPA Est. No. 4-NY-1
ACTIVE INGREDIENT
*Captan
Related Derivatives
INERT INGREDIENTS
TOTAL
*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide
KEEP OUT OF REACH OF CHILDREN
DANGER
Net Weight 8 oz. (.23 kg)
Packed by weight, not volume
Can be used for organic gardening
Serenade garden
LAWN DISEASE CONTROL
EASY! ATTACH HOSE AND SPRAY!
TREATS 5,600 ft²
Promotes Greener Healthier Lawns
Controls Brown Patch, Dollar Spot & other common lawn diseases
DISEASE CONTROL
CONCENTRATE
Fungicide that attacks harmful garden diseases
READY TO USE
CAUTION

Fire blight

Whitefly

Leaf Miner

Scale

Organic Cures

Proper Pruning Technique



Pear Pruning



Pecans

Pecan Scab

Dave Wilson Nursery

Celestial Fig

- Widely adapted. Two crops per year, early summer and late summer to early fall.
- Self-fruitful.
- Productive chill range 100-800

Harvest season begins.

Very Early	Early Season	Early Mid-	Mid-Season	Late Mid-	Late Season	Very Late
			■			
5-1 to 5-25	5-25 to 6-20	6-20 to 7-15	7-15 to 8-10	8-10 to 9-5	9-5 to 9-30	Oct/ Nov

Dates for harvest seasons vary with climate and year. Example dates (below) are approximate for Modesto, CA.

Hours Below 45°F

100
250
500
750
1000

Minimum Chill Requirement (Hours)

WWW.DAVEWILSON.COM

PT202102

Chill Hours

The 32-45 model says any hour of cold between 32 F. and 45 F. contributes one hour to satisfying a tree's chilling requirement.




Weather Station
ST-00090803
74.3 °F
DEW POINT
57°
ST-00090803
30.170 inHg
RIS
ST-00090803

Tap graph for details
90°
80°

tempest weather station

Weather History Map Settings

Station Map



Scarecrows

Scare Tactics

K B W
NURSERY SUPPLIES

Fruits, the "spinach" of Popeye!

Questions?

Email me and visit: fanicknursery.com

Call: 210-648-1303

Also: Like Dave Wilson Nursery on Facebook